



Units 11
Moderna Business Park
Mytholmroyd
Halifax
HX7 5QQ

TEL. 01422 885087 FAX 01422 883721 24 HOUR 07740 322 454 Email des@micro-search.co.uk

Certificate of Analysis

F.A.O. Ms J Hook

Client: JLA Ltd, Meadowcroft Lane, Ripponden, Halifax

Sample details: OTEX Laundered Cloths

Samples of microfibre cloths; new, 150 and 350 OTEX washes were challenged with suspension of *Clostridium difficile*. Analysis was carried out pre and post laundering with OTEX to determine if the number of previous ozone washes had affected the decontamination process of the cloths. The results are given below:

Cloth Id:	<i>Clostridium Difficile</i> CFU/Cloth	
	Pre Laundered	Post Laundered
JD New Blue Cloth	1.00E+05	<1
JD 150 OTEX Cycles Blue Cloth	9.00E+04	<1
JD 350 OTEX Cycles Blue Cloth	8.00E+04	<1
Vermop New Green Cloth	1.00E+05	<1
Vermop 150 OTEX Cycles Green Cloth	5.60E+04	<1
Vermop 350 OTEX Cycles Green Cloth	9.00E+04	<1

D.O'Connor B.Sc. Ci.Biol M.I.F.S.T.

.....